NR.2 TYPE SPECIFICATION/CONTRACT BID SUBMISSION FORM

Ad.: 2018/ESA-301

ITEN NR		THE LOADING PORT	THE DISCHARGING PORT	NET AMOUNT OF WORK (TONs)	UNIT PRICE OF BID (EUR/TON) or (B)	TOTAL VALUE OF BID (EUR) (A*B)	BANDIRMA LAYCAN
1	BORON PRODUCTS	BANDIRMA (TÜRKİYE)	Koper / Slovenia	7500.00 (+/- %5 ETİ option)			01-04 December 2018

NAME/TRADE NAME (1)

Stamp & Signature

NOTES:

- 1. This form is sign by authorized personal.
- 2. The bidders who are not in our repertoire declare to accept terms and condition of Nr.2 type specification/contract [that is find on website wwww.etimaden.gov.tr] on the Bid Submission Form and the requested documents and information that seen in same place by ETİ would be deemed to have committed in order to recorded to repertoire.
- 3. The bids is given via the Bid Submission Form and this Form and its attachment that included details of shipping & transport are signed and cached.
- 4.The nomination of ship and the Bandirma ETA must be given within the bid submission form and the Bandirma ETA must be suitable to Bandirma LAYCAN.

If the ship nomination & the Bandirma ETA are not given by bidders or the Bandirma ETA is not suitable to Bandirma Laycan, the bids will be disqualified.

- 5. The bidder/Contractor accepts all terms of Type 2 Specification/contract and the details of shipping and transport.
- 6.In case a bid is given by the real and legal persons which is notified as affiliation and/or connected with terrorist organization by security and intelligent authorities, their bids are invalid and if contract was signed, it will be canceled and both of these situations firms will be banned. Bidder/Contractors do not have any right in these cases.

Please fill below items.

Vessel IMO: Last six cargoes:

Loading Port ETA

ENC: DETAILS OF SHIPPING & TRANSPORT

DETAILS OF SHIPPING AND TRANSPORT

- 1. The bidder will offer all of the work (items).
- 2. All of shipment shall be carried out from the loading ports/berths/terminals to unloading ports/berths/terminals by one ship and in the hold(s) of the ship and without a partial cargo.
- 3. The unloading will be made to buyer's berth is notified Buyer's agency.
- 4. All or some cargo could be directly transshipped into barge(s) and/or coaster(s).
- 5. The bill of lading(s) shall have got the phrase as 'Clean on Board'. The B/L(s) shall be delivered to ETİ without delay.
- 6. The holds will be reinforced with hatch cover marine tape (in min. 150 mm widths and at min. 5 mm thickness) or with foam by the Contractor in order to minimize water leakage.

BASIS OF TRANSPORT : FIOST

BANDIRMA PORT LAYCAN : 01-04 December 2018

ETA NOTICE: The ship shall report her estimated time of arrival (ETA) to loading and unloading ports at 5, 4, 3, 2 and 1 days intervals.

DETAILS OF PRODUCTS

4500 tons Etibor-48(P1858548) in bulk,

1500 tons BIG -75 Ground Colemanite (P1860631) in 1000 kg big bags without bottom valves, 1500 tons BIG -45 mic. Ground Colemanite (P1860632) in 2000 kg big bags without bottom valves,

Toplam: 7500 tons(+/- %5 opsiyonlu)

- 4500 tons Etibor-48 will be loaded in Eti Maden Berth and the other products are loaded in one of Celebi Terminal's piers is determined by the Contractor's agency.
- The big bags should not be stowed on top of bulk.
- Big bags should be stowed in different hold.
- Big bags must be stored maximum 6 tiers.
- Product types and tonnages could be changed by ETİ within 5% option.
- The products are harmless, non-dangerous and non imo classed.

PACKING DIMENSION & BALE WEIGHT

For Ground Colemanite in 1000 kgBB (L/W/H): APPROXIMATELY (METER) 1.15 X 1.15 X 0,95 (PACKAGE WEIGHT): APPROXIMATELY 1000 KGS,

For Ground Colemanite in 2000 kgBB (L/W/H): APPROXIMATELY (METER) 1.12 X 1.12 X 1.80 (PACKAGE WEIGHT): APPROXIMATELY 2000 KGS

THE DEADLINE FOR BIDDING : November 29th 2018 Thursday, 11.00 hours (*Turkish local time*)

DETAILS OF SHIP

- Built date of vessel must be max 20 years.
- In addition to the mentioned products at 2nr. Type Specification, the vessel(s) has/have not carried any cargo of waste, petrol and petroleum products, refused-derived fuel (RFD) or solid recovered fuel and specified recovered fuel (SRF) during the last one year.
- There is no necessity for vessel crain.
- Shipowner(s) and ship(s) must be a member of IACS.
- Vessel should have not been arrasted within a year.

The ship should be suitable for the characteristic and climatic condition of the loading and unloading ports and the ship should be have proper depth holds in order to use grappe and crain.

The Holds of Ship: The holds of the ship(s) should be double-skinned and box-shaped type and bulk head type. The holds shall have steel floors. The holds should be at the same size with the hatches, in "OPEN HATCH" form, with an automatic opening and closing feature.

DETAILS OF LOADING PORT

Bandırma Eti Maden Berth (pier):

Length: approximately 180 meter Width: approximately 80 meter

Berth draft: SSW approximately 8,00 meter 1gsb (good, safe berth) & aa (always afloat)

Loading capasity: approximately 3000 ton/24 hours (bulk)

DETAILS OF DISCHARGING PORT

2 SAFE BERTH, KOPER

Bulk cargo and big bags is discharged at different berth.

Unloading berth will be notified by the agency of discharging port.

Unloading Capacity:

approximately 1750 tons bulk per WWD. **approximately** 1250 tons BB per WWD.

The discharging rate is WWD & SSHEX EIU

The information as special characteristics, administrative and technical conditions, icing and other climatic conditions of the discharging port should be observed while the most suitable ship is provided by the Contractor. That's why, all costs and expenses borne by the Contractor in case of the ship stay at sea and/or ports due to climatic condition and icing and/or not berth to port/terminal/piers due to same and other reasons.

THE UNLOADING PORT AGENCY OF BUYER:

Adria Cargo Koper doo

Adria Cargo Koper d.o.o. Pristaniska 8, PO Box 267 6000 Koper Slovenia Tel: 00386 5 663 4130

Fax: 00386 5 663 4149 Gsm:00 386 51 670 50